

# HITACHI

## 18V Lithium-Ion 1/2" Hammer Drill Tool Body

DV18DLP4

### Specifications

- >> **Volts** 18
- >> **RPM** 0-200/400/900/1800
- >> **Chuck** 1/2"
- >> **Torque** 570 in/lbs
- >> **Weight** 3.6 lbs

### Capacities

- >> **Steel** 1/2"
- >> **Wood** 2"

**Notes:** Tool body only for this model. It does not come with batteries, charger or case. However it is compatible with most Hitachi 18V post batteries, which offers ultimate flexibility in cordless power. This cordless drill offers a two step speed switch, which gives the ability to choose from 4 different speed settings.

**Li-Ion**



DV18DLP4

>> **Price**

# HITACHI

## 18V Lithium-Ion Cordless Grinder Tool Body

G18DLP4

### Specifications

>> <b>Volts</b>	<b>18</b>
>> <b>Wheel Dia.</b>	<b>4-1/2"</b>
>> <b>Spindle</b>	<b>5/8"</b>
>> <b>RPM</b>	<b>9,100</b>
>> <b>Weight</b>	<b>2.9 lbs</b>

**Notes:** Tool body only for this model. It does not come with batteries, charger or case. However it is compatible with most Hitachi 18V post batteries, which offers ultimate flexibility in cordless power. This cordless grinder is compact and lightweight for greater control and maneuverability and comes equipped with overload protection and safety reset which protects the tool and end user.

**Li-Ion**



G18DLP4

>> **Price**

# HITACHI

## Breaker Hammer

H90SEKIT4

### Specifications

- >> **Amp** 13.3
- >> **BPM** 850
- >> **Impact** 40.6 ft/lbs
- >> **Weight** 70.5

### Standard Accessories

- >> **Hammer Cart**
- >> **Bull Point**
- >> **Cold Chisel**
- >> **Scaling Chisel**
- >> **Clay Spade**
- >> **10mm Hex Bar Wrench**
- >> **5mm Hex Bar Wrench**
- >> **3mm Hex Bar Wrench**

**Notes:** Ideal for demolishing concrete, for groove and channel digging in concrete, asphalt and gravel, for tamping/compacting asphalt and gravel roads and for cutting asphalt. This breaker hammer delivers greater power, increased performance and lower vibration than the previous models. Universal tool retainer accepts collared and uncollared bits. Kit comes with portable cart and four pieces of steel.



H90SEKIT4

>> **Price**

# HITACHI

## 18V 5-Piece Lithium-Ion Combo Kit

KC18DBLWH18P4

### DV18DL Specifications

- >> No-Load Speed 0-200/400/900/1,800 rpm
- >> BPM 0-2,100
- >> Max Torque 570 in-lbs
- >> Weight 4.9 lbs

### CR18DL Specifications

- >> No-Load Speed 0-2,100 rpm
- >> Stroke 1-1/8"
- >> Weight 7.5 lbs

### C18DL Specifications

- >> Blade Diameter 6-1/2"
- >> No-Load Speed 3,400 rpm
- >> Brake Yes
- >> Weight 7.1 lbs

### WH18DLP4 Specifications

- >> No-Load Speed 0-2,600 rpm
- >> Impact Rate 0-3,200 rpm
- >> Max Torque 1,330 in-lbs
- >> Weight 3.5 lbs

### Includes

- >> DV18DL 18V 1/2" Hammer Drill
- >> CR18DL 18V Reciprocating Saw
- >> C18DL 18V Circular Saw
- >> WH18DLP4 Impact Driver
- >> Charger
- >> (2) 3.0 Ah Lithium Ion Batteries
- >> Carrying Bag

**Notes:** Powerful 18V Li-Ion Hammer Drill with 570 in-lbs of torque, heavy-duty 18V Li-Ion Recip Saw featuring a tool-less blade changing system, 6-1/2" 18V circular saw with a left mounted blade. 1/4" Hex 18V Li-Ion Impact Driver with 1,330 in-lbs of turning torque, handy lantern with LED or fluorescent mode, 3.0Ah Li-Ion batteries are 40% lighter with 3x the life.

**Li-Ion**



KC18DBLWH18P4

>> Price

# HITACHI

## 18V Lithium-Ion Driver Drill & Impact Driver Combo Kit, 1.5Ah KC18DFL

### DS18DFLPC Specifications

>> Volts	18
>> RPM	0-400/0-1,200
>> Torque	364 in/lbs
>> Chuck	1/2"
>> Weight	3.7 lbs
>> Battery	1.5Ah

### WH18DFL Specifications

>> Volts	18
>> RPM	0-2,500
>> BPM	0-3,000
>> Torque	1,150 in/lbs
>> Chuck	1/4" Hex
>> Weight	3.3 lbs

### Includes

- >> DS18DFL Li-Ion Driver Drill
- >> WH18DFL Li-Ion Impact Driver
- >> Universal Charger
- >> (2) 3.0Ah Li-Ion Batteries
- >> Driver Bit
- >> Carrying Case

**Notes:** The KC18DFL is an 18-Volt, 2-piece, 1.5Ah Lithium Ion compact combo kit which includes the DS18DFL 18V driver drill that features a 22-stage clutch and two-speed transmission. The WH18DFL 18V impact driver delivers a powerful 1150 in/lbs of torque, yet weighs only 3.3 lbs! Also included are two 1.5Ah Lithium Ion batteries, a Universal Charger and tool bag for easy transport and storage.

**Li-Ion**



KC18DFL

>> Price

# HITACHI

## 1-1/2" Concrete Gas Nailer

NC40G

### Specifications


- >> Nail Capacity 42
- >> Weight 8.2 lbs

### Standard Accessories

- >> Safety Glasses
- >> 4mm Hex Wrench
- >> 7.2V 1.4Ah Battery
- >> Charger (1 Hour)
- >> Case

### Capacities

- >> Nail Sizes



**Notes:** Fastens wood or metal to concrete and operates on fuel rod and battery. Battery charges in 1/2 the time of the competition and drives over 4,000 nails per charge. Dry-fire lock out prevents blank drives while the elastomer grip and 2-step loading combine to allow safe and easy job completion. Drives up to 1 nail per second and 1000 per hour.



NC40G

>> Price

# HITACHI

## 3-1/2" Clipped Head Gas Framing Nailer

NR90GC2

### Specifications


- >> Nail Capacity 37
- >> Weight 7.7 lbs

### Standard Accessories

- >> Safety Glasses
- >> 4mm Hex Wrench
- >> 7.2V 1.4Ah Battery
- >> Charger (1 Hour)
- >> Case

### Capacities

#### >> Nail Sizes



**Notes:** Fastens a clipped head nail and operates on fuel rod and battery. Battery charges in 1/2 the time of the competition and drives over 4,000 nails per charge. Dry-fire lock out prevents blank drives while the integrated reversible rafter hook, elastomer grip and 2-step loading combine to allow safe and easy job completion. Drives up to 2 nails per second and 1000 per hour.



NR90GC2

>> Price

# HITACHI

## 3-1/2" Round Head Gas Framing Nailer

NR90GR2

### Specifications


- >> Nail Capacity 32-35
- >> Weight 7.9 lbs

### Standard Accessories

- >> Safety Glasses
- >> 4mm Hex Wrench
- >> 7.2V 1.4Ah Battery
- >> Charger (1 Hour)
- >> Case

### Capacities

#### >> Nail Sizes



**Notes:** Fastens a full round head nail and operates on fuel rod and battery. Battery charges in 1/2 the time of the competition and drives over 4,000 nails per charge. Dry-fire lock out prevents blank drives while the integrated reversible rafter hook, elastomer grip and 2-step loading combine to allow safe and easy job completion. Drives up to 2 nails per second and 1000 per hour.



NR90GR2

>> Price

# HITACHI

## 15-Gauge Angle Gas Finish Nailer

NT65GA

### Specifications


- >> Nail Capacity 100
- >> Weight 4.4 lbs

### Standard Accessories

- >> (2) 3.6V HXP Li-Ion Batteries
- >> AC/DC Charger
- >> No Mar Tip
- >> Safety Glasses
- >> 4mm Hex Wrench
- >> 3mm Hex Wrench
- >> Case

### Capacities

#### >> Nail Sizes



**Notes:** Fastens 15-gauge angled finish nails and operates on fuel rod and battery. Battery charges in 1/2 the time of the competition and drives over 2,000 nails per charge. Features such as dry-fire lock-out, low battery indicator, tool-less jam release, depth of drive and variable position hook offer convenience to the user. Lightweight and well-balanced, this portable finish nailer moves easily around the jobsite with the added hassle of hoses or compressors.



NT65GA

>> Price

# HITACHI

## 16-Gauge Angle Gas Finish Nailer

NT65GB

### Specifications

- >> Nail Capacity 100
- >> Weight 4 lbs

### Standard Accessories

- >> (2) 3.6V HXP Li-Ion Batteries
- >> AC/DC Charger
- >> No Mar Tip
- >> Safety Glasses
- >> 4mm Hex Wrench
- >> 3mm Hex Wrench
- >> Case

### Capacities

#### >> Nail Sizes



**Notes:** Fastens 16-gauge angled finish nails and operates on fuel rod and battery. Battery charges in 1/2 the time of the competition and drives over 2,000 nails per charge. Features such as dry-fire lock-out, low battery indicator, tool-less jam release, depth of drive and variable position hook offer convenience to the user. Lightweight and well-balanced, this portable finish nailer moves easily around the jobsite with the added hassle of hoses or compressors.



NT65GB

>> Price

# HITACHI

## 16-Gauge Straight Gas Finish Nailer

NT65GS

### Specifications


- >> Nail Capacity 100
- >> Weight 4 lbs

### Standard Accessories

- >> (2) 3.6V HXP Li-Ion Batteries
- >> AC/DC Charger
- >> No Mar Tip
- >> Safety Glasses
- >> 4mm Hex Wrench
- >> 3mm Hex Wrench
- >> Case

### Capacities

- >> Nail Sizes



**Notes:** Fastens 16-gauge finish nails and operates on fuel rod and battery. Battery charges in 1/2 the time of the competition and drives over 2,000 nails per charge. Features such as dry-fire lock-out, low battery indicator, tool-less jam release, depth of drive and variable position hook offer convenience to the user. Lightweight and well-balanced, this portable finish nailer moves easily around the jobsite with the added hassle of hoses or compressors.



NT65GS

>> Price

# HITACHI

## 10.8V Lithium-Ion Micro Right Angle Drill, 1.5Ah

WH10DCL

### Specifications

- >> **Volts** 10.8
- >> **RPM** 0-2,100 RPM
- >> **Chuck** 1/4" Hex
- >> **Weight** 2.2 lbs
- >> **Torque** 265 in/lbs

### Standard Accessories

- >> **(2) 1.5ah Li-Ion Batteries**
- >> **Charger**
- >> **Case**

### Capacities

- >> **Lag Bolt** 5/32" - 3/8" (M4 - M10)

**Notes:** Features a 10.8V Lithium-Ion battery that lasts 3x longer and weighs 40% less. This 1/4" hex right angle drill gets easily into tight and narrow spaces and drills holes into wood, mild steel and plastic. It features an ergonomic handle circumference for comfort and control as well as an LED light that effectively illuminates dim work areas. A battery charge indicator light warns the user when battery is low.



**Li-Ion**

WH10DCL

>> **Price**

# HITACHI

## 10.8V Lithium-Ion Micro Impact Driver, 1.5Ah

WH10DL

### Specifications

>> <b>Volts</b>	<b>10.8</b>
>> <b>RPM</b>	<b>2,300</b>
>> <b>BPM</b>	<b>3,300</b>
>> <b>Torque</b>	<b>930 in/lbs</b>
>> <b>Chuck</b>	<b>1/4" Hex</b>
>> <b>Weight</b>	<b>2.0 lbs</b>

### Standard Accessories

- >> **(2) 1.5Ah Li-Ion Batteries**
- >> **Quick Charger**
- >> **Phillips Driver Bit**
- >> **Carrying Case**

**Notes:** Features a 10.8V Lithium-Ion battery that lasts 3x longer and weighs 40% less. Delivering 930 in/lbs of impact driving torque it tackles heavy applications like tightening carriage bolts, driving lags, and sinking deck screws. Ergonomic 5-1/2" handle circumference for comfort and control. An LED light effectively illuminates dim work areas. A battery charge indicator light warns the user when battery is low.

**Li-Ion**



WH10DL

>> **Price**

# HITACHI

## 18V Lithium-Ion Impact Driver Tool Body

WH18DLP4

### Specifications

- >> **Volts** 18
- >> **RPM** 0-2,600
- >> **IPM** 0-3,200
- >> **Chuck** 1/4" Hex
- >> **Torque** 1,330 in/lbs
- >> **Weight** 2.2 lbs

### Capacities

- >> **Wood Screw** 5/32" - 3/8"
- >> **Ordinary Bolt** 1/4" - 9/16"
- >> **High Tension Bolt** 1/4" - 15/32"

**Notes:** Tool body only for this model. It does not come with batteries, charger or case. However it is compatible with most Hitachi 18V post batteries, which offers ultimate flexibility in cordless power. This cordless impact wrench delivers class leading 1,330 in/lbs of torque and features a replaceable armature, 2-piece motor and a 5-position belt hook with integrated LED job light.

**Li-Ion**



WH18DLP4

>> **Price**

# HITACHI

## 18V Lithium-Ion Impact Wrench Tool Body

WR18DLP4

### Specifications

- >> **Volts** 18
- >> **RPM** 0-2,600
- >> **IPM** 0-3,200
- >> **Chuck** 1/2" Square
- >> **Torque** 1,950 in/lbs
- >> **Weight** 2.2 lbs

### Capacities

- >> **Ordinary Bolt** 3/8" – 5/8"
- >> **High Tension Bolt** 5/16" – 9/16"

**Notes:** Tool body only for this model. It does not come with batteries, charger or case. However it is compatible with most Hitachi 18V post batteries, which offers ultimate flexibility in cordless power. This cordless impact wrench delivers class leading 1,950 in/lbs of torque and features a replaceable armature, 2-piece motor and a 5-position belt hook with integrated LED job light.

**Li-Ion**



WR18DLP4

>> **Price**